

TOWER PERFORMANCE FOR MESAN MXH
Water flow (GPM)

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49		
Wet Bulb °F	50	50	50	50	50	55	55	55	55	55	60	60	60	60	65	65	65	65	65	65	70	70	70	70	70	75	75	75	75	75	80	80	80	80	80	85	85	85	85	85	90	90	90	90	90	90	90	90			
Range °F	10	10	10	15	15	10	10	10	15	15	10	10	15	15	10	10	10	10	15	15	10	10	10	15	15	10	10	10	15	10	10	15	10	10	10	10	10	10	10	10	15	10	10	15	10	15	10	10	9	9	9
Approach °F	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	10	12	7	10	12	7	12	7	10	12	7	10	12	7	10	12	7	10	12	7	10	12	7	10	12	7	10	12	7	10	9	7.2
Inlet Water Temperature °F	67	70	72	72	77	72	75	77	77	82	77	80	82	82	87	82	85	87	87	87	92	87	90	92	92	97	92	95	97	97	102	97	100	102	102	102	107	102	105	107	107	112	107	110	112	112	117	117	89.6	95	98.6
Outlet Water Temperature °F	57	60	62	57	62	62	65	67	62	67	67	70	72	67	72	75	77	77	77	77	82	77	80	82	82	87	82	85	87	82	87	87	90	92	92	97	92	95	97	92	97	92	97	92	97	102	102	80.6	85	89.6	
MXH-1739-2.2	168	222	260	137	199	190	252	293	153	223	208	281	330	169	252	236	316	368	187	284	266	356	418	214	322	302	392	463	239	365	342	447	466	294	411	382	460	514	309	434	431	498	546	353	463	400	321	444	389		
MXH-1739-3	186	245	289	151	221	211	279	325	169	247	230	311	366	187	280	261	350	408	207	314	294	395	463	237	357	335	434	513	265	404	379	496	517	315	455	424	509	570	343	481	478	552	606	391	513	444	356	492	431		
MXH-1739-4	205	270	317	167	243	232	307	358	186	271	253	342	403	206	308	287	385	449	228	346	324	434	509	261	393	369	478	565	291	445	417	545	568	346	501	466	560	627	377	529	526	607	666	430	564	488	392	542	474		
MXH-1739-5.5	228	300	353	185	270	258	341	398	207	301	282	381	448	228	342	319	428	499	254	384	360	483	566	290	436	410	531	628	324	494	463	606	631	395	557	518	623	697	419	588	584	675	740	478	627	543	435	602	527		
MXH-1739-7.5	252	333	391	205	299	286	378	441	229	334	312	422	496	253	379	354	474	553	281	426	399	535	627	321	484	454	589	696	359	548	513	671	700	426	617	574	690	772	465	652	647	748	820	529	695	601	483	667	583		
MXH-1739-11	287	379	444	233	340	325	429	500	260	379	355	479	564	288	430	402	539	628	319	484	453	608	712	365	549	516	669	790	407	622	583	763	795	484	701	652	784	NA	528	740	735	850	NA	601	789	683	548	758	663		
MXH-2041-2.2	184	255	300	157	229	219	290	338	176	256	240	324	381	194	291	271	364	424	216	327	306	411	481	246	371	348	452	534	275	420	394	515	537	327	473	441	530	582	356	500	497	574	630	406	533	461	370	512	448		
MXH-2041-3	215	283	333	174	254	243	321	375	195	284	266	359	422	215	322	301	403	471	239	362	339	455	533	273	411	386	501	592	305	466	437	571	595	363	525	488	587	657	395	554	551	636	698	450	591	511	411	567	496		
MXH-2041-4	236	311	366	192	280	268	354	412	215	313	292	395	464	237	355	331	444	518	263	399	373	501	587	301	453	425	551	651	336	513	480	628	655	399	577	537	646	723	435	610	606	700	768	495	650	563	452	624	546		
MXH-2041-5.5	262	346	407	213	311	297	393	458	238	347	325	439	516	263	394	368	493	575	292	443	415	557	652	334	503	472	612	724	373	570	534	698	728	443	642	597	718	803	483	678	673	778	853	551	723	625	502	694	607		
MXH-2041-7.5	291	383	451	237	345	330	436	508	264	385	360	486	572	292	437	408	547	638	324	491	460	617	723	370	558	523	679	802	414	632	592	774	807	492	712	662	796	890	536	751	746	863	946	610	801	693	556	769	673		
MXH-2244-1.1	330	436	512	269	392	374	495	577	300	437	409	552	650	331	496	463	621	724	368	558	522	701	821	421	633	594	771	911	470	717	672	879	916	558	808	752	904	1011	608	853	848	980	NA	693	910	787	632	873	764		
MXH-2244-3	258	340	399	210	306	292	386	450	234	341	319	431	507	259	387	361	485	565	287	435	408	547	641	328	494	464	601	711	911	367	560	524	686	715	836	831	587	705	789	475	666	662	764	838	541	710	614	493	682	596	
MXH-2244-4	284	374	439	231	336	321	425	495	258	376	351	474	558	285	426	398	533	622	316	479	448	601	705	361	544	510	662	782	403	616	577	755	787	479	694	645	776	868	522	732	728	841	922	595	781	676	542	750	656		
MXH-2244-5.5	315	415	488	256	374	357	472	550	286	417	390	527	620	316	473	442	592	691	351	532	498	668	783	401	604	567	735	869	448	684	641	839	874	532	771	717	862	965	580	814	809	934	1025	661	868	751	603	833	729		
MXH-2244-7.5	350	461	541	284	414	396	523	610	318	463	432	584	687	351	525	490	657	766	389	590	552	741	868	445	670	629	815	963	497	759	711	930	969	590	855	795	956	1069	643	902	897	1036	1136	733	963	833	668	924	808		
MXH-2244-11	397	523	615	323	470	450	594	693	361	525	491	683	780	398	596	556	746	870	442	670	627	842	986	505	761	714	926	1094	564	862	807	1056	1110	670	971	903	1086	1215	731	1025	1018	1177	1291	833	1093	946	759	1049	918		
MXH-2252A-3	223	294	346	182	265	253	334	390	203	296	276	373	439	224	335	313	420	490	249	377	353	474	555	284	428	402	521	616	317	485	454	594	619	377	546	508	611	683	411	577	573	662	726	469	615	532	427	590	516		
MXH-2252A-4	244	322	378	198	289	277	365	426	222	323	302	408	480	245	366	342	459	535	272	412	386	517	606	311	468	439	569	673	347	530	496	649	677	412	597	555	667	747	449	630	626	723	793	512	672	581	467	645	564		
MXH-2252A-5.5	269	355	417	219	319	305	403	470	245	357	333	450	530	270	405	378	506	591	300	455	426	571	669	343	514	484	628	743	383	585	548	717	747	455	659	613	737	824	496	696	691	799	876	565	742	642	515	712	623		
MXH-2252A-7.5	299	394	464	243	355	339	448	523	272	396	370	500	589	300	449	420	565	656	333	505	473	635	744	381	576	548	698	825	425	650	609	796	830	506	732	681	819	916	551	773	768	887	973	628	824	713	572	791	692		
MXH-2252A-11																																																			

TOWER PERFORMANCE FOR MESAN MXH
Water flow (GPM)

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49				
Wet Bulb °F	50	50	50	50	50	55	55	55	55	55	55	60	60	60	60	60	65	65	65	65	65	65	65	70	70	70	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75		
Range °F	10	10	10	15	15	10	10	10	15	15	10	10	10	10	15	10	10	10	10	15	10	10	10	10	15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Approach °F	7	10	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12		
Inlet Water Temperature °F	67	70	72	72	77	72	75	77	77	82	77	82	77	80	82	82	87	82	85	87	87	92	87	90	92	92	97	92	95	97	97	102	97	100	102	102	102	107	102	105	107	107	112	107	110	112	112	117	117	117	117	117	
Outlet Water Temperature °F	57	60	62	57	62	62	65	67	62	67	67	70	72	67	72	72	75	77	77	82	77	82	82	87	82	87	82	85	87	87	92	87	90	92	92	97	92	95	97	97	102	97	102	102	107	102	105	107	107	112	107	110	112
MXH-3668B-45	990	1305	1534	805	1173	1122	1482	1728	899	1311	1225	1655	1947	993	1487	1388	1861	2170	1102	1671	1565	2099	2460	1260	1898	1780	2309	2729	1407	2149	2013	2634	2745	1672	2421	2253	2708	3030	1823	2556	2540	2935	3219	2077	2727	2359	1893	2617	2289				
MXH-3668C-7.5	626	825	970	509	742	710	938	1093	569	829	775	1047	1231	628	940	878	1177	1373	697	1057	990	1328	1556	797	1200	1126	1461	1726	890	1359	1273	1666	1737	1058	1531	1425	1713	1916	1153	1617	1607	1856	2036	1314	1725	1492	1198	1655	1448				
MXH-3668C-11	709	935	1099	576	840	803	1062	1238	644	939	877	1185	1394	711	1065	994	1333	1555	790	1197	1121	1504	1762	902	1359	1275	1654	1955	1008	1539	1442	1887	1967	1198	1734	1614	1939	2170	1306	1831	1819	2102	2306	1488	1953	1690	1356	1874	1640				
MXH-3668C-15	785	1035	1216	638	930	890	1175	1371	713	1039	971	1312	1544	788	1179	1100	1476	1721	874	1325	1241	1665	1951	999	1505	1475	1824	2164	1116	1704	1596	2089	2177	1326	1920	1787	2147	2402	1445	2027	2014	2327	2553	1647	2162	1871	1502	2075	1815				
MXH-3668C-18.5	840	1108	1302	683	996	952	1258	1467	763	1113	1040	1405	1652	843	1262	1178	1580	1842	936	1419	1328	1782	2088	1069	1611	1511	1960	2317	1195	1824	1709	2236	2330	1419	2055	1912	2298	2572	1547	2170	2156	2491	2732	1763	2314	2002	1607	2221	1943				
MXH-3668C-22	889	1171	1377	722	1053	1007	1331	1551	807	1177	1099	1485	1747	891	1335	1246	1670	1948	990	1500	1405	1884	2208	1131	1704	1598	2073	2450	1263	1929	1807	2365	2465	1510	2173	2022	2431	2720	1636	2295	2280	2635	2889	1864	2448	2117	1700	2349	2055				
MXH-3668C-27	983	1296	1523	799	1165	1114	1472	1716	893	1301	1216	1643	1933	986	1476	1378	1848	2155	1095	1660	1554	2085	2443	1251	1885	1768	2293	2710	1398	2134	1999	2616	2726	1661	2404	2237	2689	3008	1810	2538	2522	2914	3196	2062	2708	2342	1880	2599	2273				
MXH-3668C-37	1055	1390	1634	857	1250	1195	1579	1841	958	1396	1304	1762	2073	1058	1584	1478	1982	2312	1174	1780	1667	2236	2620	1342	2021	1896	2460	2907	1499	2289	2144	2806	2924	1781	2579	2400	2884	3227	1941	2723	2705	3126	3428	2212	2904	2512	2017	2787	2438				
MXH-3668C-45	1124	1481	1741	913	1331	1273	1682	1961	1021	1487	1390	1878	2209	1127	1687	1575	2112	2463	1251	1897	1776	2382	2791	1430	2154	2021	2621	3097	1597	2439	2285	2989	3116	1898	2747	2557	3073	3438	2069	2901	2882	3331	3653	2357	3094	2677	2149	2970	2598				
MXH-3668D-7.5	693	913	1074	563	821	785	1038	1210	630	917	857	1158	1363	695	1041	971	1303	1519	772	1170	1095	1469	1722	882	1328	1246	1617	1910	985	1504	1409	1844	1922	1171	1695	1577	1895	2121	1276	1789	1778	2054	2253	1454	1909	1651	1325	1832	1602				
MXH-3668D-11	785	1035	1216	638	930	890	1175	1371	713	1039	971	1312	1544	788	1179	1100	1476	1721	874	1325	1241	1665	1951	999	1505	1475	1824	2164	1116	1704	1596	2089	2177	1326	1920	1787	2147	2402	1445	2027	2014	2327	2553	1647	2162	1871	1502	2075	1815				
MXH-3668D-15	870	1147	1348	707	1031	986	1303	1519	791	1152	1077	1455	1711	873	1307	1220	1636	1908	969	1469	1376	1845	2162	1108	1668	1565	2030	2399	1237	1889	1770	2316	2413	1470	2128	1980	2380	2663	1602	2247	2233	2580	2830	1826	2387	2074	1664	2301	2012				
MXH-3668D-18.5	933	1229	1445	758	1105	1056	1396	1628	847	1234	1153	1559	1833	935	1400	1307	1753	2044	1038	1574	1474	1977	2317	1187	1787	1677	2175	2570	1256	2024	1896	2481	2586	1575	2280	2122	2550	2853	1717	2408	2392	2764	3032	1956	2568	2222	1783	2465	2156				
MXH-3668D-22	985	1299	1527	801	1168	1116	1475	1720	895	1305	1219	1647	1938	988	1480	1381	1852	2160	1097	1663	1558	2089	2448	1254	1889	1772	2299	2716	1401	2139	2004	2622	2733	1665	2410	2242	2695	3015	1814	2544	2528	2921	3204	2067	2714	2348	1885	2605	2279				
MXH-3668D-27	1094	1441	1694	889	1296	1239	1637	1909	994	1448	1353	1828	2150	1099	1682	1506	2398	1298	1846	1729	2319	2717	1392	2096	1962	2551	3015	1555	2374	2224	2910	3033	1847	2674	2489	2991	3347	2013	2824	2806	3242	3556	2294	3012	2606	2092	2891	2529					
MXH-3668D-37	1172	1544	1815	953	1389	1328	1754	2046	1065	1551	1450	1959	2304	1176	1760	1643	2203	2569	1305	1978	1852	2485	2912	1491	2246	2108	2734	3231	1666	2544	2383	3118	3255	1980	2866	2867	3205	3586	2158	3026	3006	3474	3810	2458	3227	2792	2241	3098	2710				
MXH-3668E-7.5	1239	1632	1919	1007	1469	1403	1854	2162	1125	1640	1532	2070	2435	1243	1860	1736	2328	2716	1379	2091	1958	2626	3078	1576	2374	2228	2889	3415	1761	2889	2519	3296	3450	2092	3029	2819	3388	3790	2281	3198	3178	3672	4027	2599	3411	2951	2369	3274	2864				
MXH-3668E-11	1362	1835	2165	1085	1543	1484	1935	2242	1188	1691	1583	2122	2493	1267	1879	1764	2377	2766	1407	2103	1970	2653	3105	1598	2404	2262	2942	3470	1793	2902	2539	3302	3424	2098	3063	2863	3302	3678	2270	3122	2755	3027	3226	2979	2435	3205	2841	2324	3008	2710			
MXH-3668E-15	1461	1991	2320	1165	1652	1603	2104	2412	1267	1779	1681	2231	2604	1298	1912	1807	2407	2796	1436	2115	1982	2665	3117	1601	2416	2270	2960	3488	1802	2911	2548	3316	3439	2104	3076	2878	3362	3739	2274	3145	2750	3017	3240	2969	2457	3231	3008	2710					
MXH-3668E-18.5	1562	2100	2429	1244	1731	1682	2183	2491	1356	1866	1777	2327	2700	1387	1901	1806	2417	2806	1465	2144	1990	2679	3131	1609	2426	2274	2968	3506	1811	2920	2557	3349	3472	2116	3098	2892	3382	3767	2281	3156	2763	3027	3252	2979	2457	3231	3008	2710					
MXH-3668E-22	1663	2231	2560	1323	1810	1761	2214	2522	1445	1955	1866	2416	2789	1476	1990	1895	2427	2816	1494	2173	2022	2709	3161	1619	2437	2282	2972	3527	1822	2931	2568	3361	3494	2131	3117	2906	3402	3787	2291	3176	2770	3036	2979	2457	3231	3008	2710						
MXH-3668E-27	1764	2360	2689	1402	1889	1840	2331	2639	1534	2044	1955	2507	2880	1565	2000	1905	2437	2826	1523	2200	2049	2738	3173	1629	2449	2293	2981	3578																									

TOWER PERFORMANCE FOR MESAN MXH

Water flow (GPM)

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49			
Wet Bulb °F	50	50	50	50	50	55	55	55	55	55	60	60	60	60	65	65	65	65	65	65	70	70	70	70	70	75	75	75	75	75	80	80	80	80	80	85	85	85	85	85	85	90	90	90	90	90	90	90	90	90	90	
Range °F	10	10	10	15	15	10	10	10	10	15	10	10	10	10	10	10	10	10	10	10	15	10	10	10	15	15	10	10	10	10	10	10	15	10	10	10	10	10	10	10	10	10	15	10	15	10	10	9	10	9	9	
Approach °F	7	10	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	10	12	7	12	7	12	7	10	12	7	12	7	10	12	7	12	7	12	7	10	12	7	12	7	10	7	9	7.2				
Inlet Water Temperature °F	67	70	72	72	77	77	72	77	82	77	82	77	82	82	87	82	85	87	87	92	87	92	87	90	92	92	97	92	95	97	97	102	97	100	102	102	102	107	102	105	107	107	112	112	112	112	112	112	112	112	112	
Outlet Water Temperature °F	57	60	62	57	62	62	65	67	62	67	67	70	72	67	72	72	75	77	77	72	77	77	80	82	77	82	82	85	87	82	87	87	90	92	92	92	92	95	97	97	97	92	97	100	102	102	102	102	102	102	102	102
MXH-2758B-15V	555	731	859	451	657	628	830	968	504	734	686	927	1091	556	833	778	1043	1216	618	936	877	1176	1378	706	1063	998	1294	1529	789	1204	1128	1476	1538	937	1356	1262	1517	1697	1021	1432	1423	1644	1804	1164	1528	1322	1061	1466	1283			
MXH-2758B-18.5V	593	782	919	482	703	672	888	1035	539	785	734	991	1166	596	891	831	1115	1300	660	1001	937	1257	1473	755	1137	1066	1383	1635	843	1287	1206	1578	1645	1002	1450	1349	1622	1815	1092	1531	1521	1758	1928	1244	1633	1413	1134	1568	1371			
MXH-2758B-22V	629	829	974	511	745	713	942	1098	571	833	778	1051	1237	631	944	882	1182	1379	700	1062	994	1333	1563	800	1206	1131	1467	1734	894	1365	1279	1673	1744	1062	1538	1431	1720	1924	1158	1624	1613	1864	NA	1319	1732	1498	1203	1662	1454			
MXH-2758C-4V	410	540	635	333	486	464	614	715	372	543	507	685	806	411	615	574	770	899	456	692	648	869	1018	522	786	737	956	1130	583	890	833	1090	1137	692	1002	933	1121	1254	755	1058	1051	1215	1333	860	1129	976	784	1083	948			
MXH-2758C-5.5V	456	600	706	370	540	516	682	795	414	603	564	762	896	457	684	639	856	999	507	769	720	966	1132	580	873	816	1063	1256	648	989	927	1212	1264	770	1114	1037	1246	1394	839	1176	1169	1351	1481	956	1255	1086	871	1204	1054			
MXH-2758C-7.5V	504	664	781	410	597	571	754	880	458	667	623	842	991	505	757	706	947	1105	561	851	796	1068	1252	641	963	909	1175	1389	716	1094	1025	1341	1397	851	1232	1147	1378	1542	928	1301	1293	1494	1638	1057	1388	1201	964	1332	1165			
MXH-2758C-11V	571	753	885	464	677	647	856	988	519	757	707	955	1124	573	858	801	1074	1253	636	965	903	1212	1420	727	1095	1028	1333	1575	812	1240	1162	1520	1585	965	1397	1300	1563	1749	1052	1475	1466	1694	1858	1199	1574	1361	1093	1511	1321			
MXH-2758C-15V	634	836	982	516	752	719	950	1107	576	840	785	1060	1247	636	952	889	1192	1390	706	1071	1003	1345	1576	807	1216	1141	1479	1748	902	1377	1290	1687	1759	1071	1551	1443	1735	1941	1168	1637	1627	1880	NA	1330	1747	1511	1213	1676	1466			
MXH-2758C-18.5V	678	893	1050	551	803	768	1015	1183	616	897	838	1133	1333	680	1018	950	1274	1486	755	1144	1071	1437	1684	862	1299	1219	1581	1888	963	1471	1378	1803	1879	1145	1657	1542	1853	NA	1248	1750	1739	2009	NA	1422	1866	1615	1296	1791	1567			
MXH-2758C-22V	719	947	1114	584	852	814	1076	1255	653	952	889	1201	1413	721	1079	1008	1351	1576	800	1213	1136	1524	1786	915	1378	1293	1677	1981	1022	1560	1462	1912	1993	1214	1758	1636	1966	NA	1323	1856	1844	NA	1508	1980	1713	1375	1900	1662				
MXH-3061A-4V	336	442	520	273	398	380	502	586	305	444	415	561	660	337	504	470	631	736	374	567	531	712	834	427	643	604	783	925	477	729	682	893	931	567	821	764	918	1027	618	867	861	995	1091	704	924	800	642	887	776			
MXH-3061A-5.5V	373	492	578	303	442	423	559	652	339	494	462	624	734	374	561	523	702	818	416	630	590	792	927	475	716	671	871	1029	531	810	759	993	1035	631	913	849	1021	1142	687	964	958	1107	1214	783	1028	889	714	987	863			
MXH-3061A-7.5V	411	542	637	334	487	466	615	718	373	544	508	687	808	412	617	576	773	901	458	694	650	871	1021	523	788	739	959	1133	584	892	836	1094	1140	694	1005	935	1124	1258	757	1061	1054	1218	1336	862	1132	979	786	1086	950			
MXH-3061A-11V	468	616	724	380	554	530	700	816	425	619	578	781	919	469	702	655	879	1025	521	789	739	991	1162	595	896	841	1091	1289	665	1015	951	1244	1297	790	1143	1064	1279	1431	861	1207	1200	1386	1520	981	1288	1114	894	1236	1081			
MXH-3061A-15V	517	681	801	420	613	586	774	903	470	685	640	864	1017	519	777	725	972	1134	576	873	817	1096	1285	658	991	930	1206	1425	735	1122	1051	1376	1434	873	1264	1177	1414	1582	952	1335	1327	1533	1681	1085	1442	1232	989	1367	1196			
MXH-3061A-18.5V	555	731	859	451	657	629	831	969	504	734	686	927	1091	557	833	778	1043	1216	618	937	877	1176	1378	706	1064	998	1294	1529	789	1204	1128	1476	1538	937	1357	1262	1517	1698	1021	1432	1423	1644	1804	1164	1528	1322	1061	1467	1283			
MXH-3061A-22V	586	772	907	476	694	663	877	1022	532	775	724	979	1151	587	879	820	1100	1284	652	988	925	1241	1455	745	1122	1053	1366	1614	832	1271	1191	1558	1622	989	1432	1362	1601	1792	1078	1512	1502	1736	1904	1228	1612	1395	1120	1546	1354			
MXH-3061B-4V	397	524	616	323	471	450	595	694	361	526	492	664	781	399	597	557	747	871	443	671	628	843	987	506	762	715	927	1096	565	863	808	1057	1102	671	972	904	1087	1216	732	1026	1020	1178	1292	834	1095	947	780	1051	919			
MXH-3061B-5.5V	440	580	682	358	522	499	659	769	400	583	545	736	866	442	661	617	827	965	490	743	696	933	1094	560	844	792	1027	1214	626	965	895	1171	1221	744	1002	1002	1240	1347	810	1137	1129	1305	1413	1212	1049	842	1164	1018				
MXH-3061B-7.5V	488	643	756	396	578	553	730	852	443	646	603	815	959	489	732	684	917	1069	543	823	771	1034	1212	621	935	877	1138	1345	693	1059	992	1298	1353	824	1193	1110	1334	1493	898	1259	1251	1446	1586	1023	1343	1162	933	1289	1128			
MXH-3061B-11V	544	731	859	451	657	628	830	968	504	734	686	927	1091	556	833	778	1043	1216	617	936	876	1175	1377	705	1063	997	1293	1528	788	1203	1127	1475	1537	936	1356	1261	1516	1696	1021	1431	1422	1643	1802	1163	1527	1321	1030	1465	1282			
MXH-3061B-15V	614	809	951	499	727	695	919	1072	558	813	759	1026	1207	616	922	860	1154	1346	683	1036	970	1302	1525	781	1177	1104	1432	1692	873	1332	1248	1633	1702	1037	1501	1397	1679	1878	1130	1585	1575	1820	1996	1288	1691	1463	1174	1623	1419			
MXH-3061B-18.5V	657	865	1017	534	778	744	983	1146	597	869	812	1088	1291	659	986	920	1234	1440	731	1109	1038	1392	1632	836	1259	1181	1532	1810	934	1425	1335	1747	1821	1109	1606	1494	1796	2010	1209													

TOWER PERFORMANCE FOR MESAN MXH
Water flow (GPM)

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49						
Wet Bulb °F	50	50	50	50	50	55	55	55	55	55	55	60	60	60	60	65	65	65	65	65	65	70	70	70	70	75	75	75	75	75	80	80	80	80	80	85	85	85	85	85	90	90	90	90	90	95	95	95	95	95					
Range °F	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	10	10	10	15	15	10	10	15	15	10	10	15	15	9	10	9	9
Approach °F	7	10	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12	7	12				
Inlet Water Temperature °F	67	70	72	72	77	72	75	77	72	82	87	82	87	82	87	82	85	87	87	92	87	92	87	90	92	92	97	92	95	97	102	97	100	102	102	102	102	102	105	107	107	112	112	107	110	112	112	112	117	117	89.6	95	98.6	98.6	
Outlet Water Temperature °F	57	60	62	57	62	62	65	67	62	67	67	70	72	67	72	75	77	72	77	72	77	80	82	82	87	82	85	87	82	87	87	90	92	92	97	92	92	92	95	97	92	97	97	102	102	102	102	102	102	102	102	102	102	102	
MXH-4273A-15V	771	1016	1194	627	914	873	1154	1346	700	1021	954	1288	1516	773	1158	1081	1449	1690	858	1301	1219	1635	1915	981	1478	1386	1798	2125	1096	1673	1568	2051	2138	1302	1885	1754	2108	2359	1419	1990	1978	2285	2506	1617	2123	1837	1474	2038	1782						
MXH-4273A-18.5V	825	1087	1278	671	978	935	1235	1440	749	1092	1020	1379	1622	828	1239	1156	1551	1809	919	1393	1304	1749	2050	1050	1581	1484	1924	2274	1173	1791	1677	2195	2288	1393	2017	1877	2256	2524	1519	2130	2116	2445	2682	1731	2272	1965	1578	2181	1907						
MXH-4273A-22V	874	1152	1354	711	1036	991	1309	1526	794	1157	1082	1461	1719	877	1313	1226	1643	1917	974	1476	1382	1854	2172	1113	1676	1572	2039	2410	1243	1898	1778	2326	2425	1477	2138	1990	2391	2675	1610	2257	2243	2592	2843	1834	2408	2083	1672	2311	2022						
MXH-4273A-30V	968	1276	1500	787	1148	1097	1450	1691	880	1282	1198	1619	1904	971	1454	1357	1820	2123	1078	1635	1531	2053	2406	1232	1856	1742	2259	2669	1377	2102	1969	2577	2685	1636	2368	2204	2648	2963	1783	2500	2484	2871	3148	2031	2667	2307	1852	2560	2239						
MXH-4273A-37V	1039	1369	1609	844	1231	1177	1555	1814	944	1375	1285	1736	2043	1042	1560	1456	1953	2278	1157	1754	1642	2203	2581	1322	1982	1868	2423	2864	1477	2255	2113	2764	2881	1755	2541	2364	2841	3179	1913	2682	2665	3080	3378	2180	2861	2475	1987	2746	2402						
MXH-4273A-45V	1107	1459	1715	900	1312	1254	1658	1933	1006	1466	1370	1851	2177	1111	1663	1552	2081	2427	1233	1869	1750	2348	2751	1409	2122	1991	2583	3052	1574	2403	2251	2946	3070	1870	2707	2519	3028	3388	2038	2859	2840	3282	3600	2323	3049	2638	2117	2927	2560						
MXH-4273B-11V	790	1053	1237	649	946	905	1196	1394	726	1057	988	1335	1570	801	1199	1120	1501	1751	889	1348	1263	1694	1984	1016	1531	1436	1863	2202	1135	1734	1624	2125	2215	1349	1953	1817	2184	2444	1471	2062	2049	2368	2597	1676	2200	1903	1528	2111	1847						
MXH-4273B-15V	884	1165	1369	718	1047	1001	1323	1543	803	1170	1093	1477	1738	887	1327	1239	1661	1938	984	1492	1397	1874	2196	1125	1694	1590	2062	2437	1256	1919	1797	2352	2451	1493	2161	2011	2417	2705	1627	2282	2268	2620	2874	1854	2434	2106	1690	2336	2044						
MXH-4273B-18.5V	948	1249	1468	770	1123	1074	1419	1655	861	1255	1172	1584	1863	951	1423	1328	1781	2078	1055	1600	1498	2010	2355	1206	1817	1704	2211	2613	1347	2057	1927	2522	2628	1601	2318	2157	2592	2900	1745	2447	2431	2810	3081	1988	2610	2258	1813	2505	2191						
MXH-4273B-22V	1002	1321	1553	815	1188	1135	1500	1750	910	1327	1240	1675	1970	1005	1505	1405	1884	2197	1116	1692	1584	2125	2490	1275	1921	1802	2338	2763	1425	2175	2038	2667	2779	1693	2451	2280	2741	3067	1845	2588	2571	2971	3258	2102	2760	2388	1917	2649	2317						
MXH-4273B-30V	1111	1464	1721	903	1317	1259	1663	1940	1009	1471	1374	1857	2185	1115	1669	1557	2088	2436	1237	1876	1756	2356	2760	1414	2130	1998	2592	3081	1877	2412	2259	2956	3081	1877	2412	2528	3039	3407	2046	2869	2850	3294	3612	2331	3060	2647	2125	2937	2569						
MXH-4273B-37V	1192	1570	1846	969	1412	1350	1784	2080	1083	1577	1474	1992	2343	1195	1789	1670	2240	2612	1372	2011	1884	2527	2961	1516	2284	2143	2780	3265	1694	2586	2423	3170	3304	2013	2914	2712	3259	3646	2194	3077	3057	3532	3874	2500	3282	2839	2279	3150	2755						
MXH-4273B-45V	1272	1677	1971	1034	1507	1441	1905	2221	1156	1684	1574	2126	2501	1276	1910	1783	2391	2789	1416	2147	2011	2697	3161	1619	2439	2288	2967	3507	1808	2761	2587	3385	3528	2149	3111	2895	3479	3893	2342	3285	3264	3771	4136	2669	3504	3031	2433	3363	2941						
MXH-4273B-55V	1360	1792	2107	1105	1611	1541	2036	2374	1235	1800	1682	2273	2674	1364	2042	1906	2556	2981	1514	2295	2150	2883	3378	1730	2607	2446	3172	3749	1933	2952	2765	3618	3771	2297	3325	3094	3719	4161	2504	3511	3489	4031	NA	2853	3745	3240	2601	3594	3144						
MXH-4273C-11V	894	1178	1384	726	1059	1012	1338	1560	812	1183	1105	1494	1757	896	1342	1263	1680	1959	955	1508	1413	1895	2220	1137	1713	1607	2084	2463	1270	1940	1810	2378	2478	1509	2185	2033	2444	2734	1645	2307	2292	2649	2905	1875	2461	2129	1709	2622	2066						
MXH-4273C-15V	969	1303	1532	804	1172	1120	1480	1726	898	1309	1223	1653	1944	992	1485	1386	1859	2168	1101	1669	1563	2097	2457	1258	1895	1778	2307	2726	1406	2146	2011	2631	2742	1670	2418	2250	2704	3026	1821	2553	2537	2931	3215	2074	2723	2356	1891	2614	2286						
MXH-4273C-18.5V	1060	1397	1643	862	1256	1201	1587	1851	963	1404	1312	1772	2085	1062	1592	1486	1993	2325	1181	1790	1676	2248	2634	1349	2032	1907	2473	2923	1507	2301	2156	2821	2940	1791	2593	2413	2900	3245	1952	2738	2720	3143	3447	2224	2920	2526	2028	2803	2452						
MXH-4273C-22V	1122	1479	1738	912	1330	1271	1680	1959	1019	1486	1388	1876	2207	1126	1685	1573	2109	2460	1250	1894	1774	2380	2788	1428	2151	2018	2618	3094	1595	2436	2282	2986	3112	1896	2744	2554	3069	3434	2066	2897	2879	3327	3649	2354	3041	2674	2146	2966	2595						
MXH-4273C-30V	1241	1636	1923	1009	1430	1371	1860	2167	1128	1643	1536	2075	2441	1245	1864	1740	2333	2722	1382	2096	1962	2632	3084	1580	2380	2233	2896	3422	1785	2695	2524	3303	3443	2097	3036	2854	3395	3799	2286	3205	3185	3680	4036	2604	3419	2958	2374	3282	2870						
MXH-4273C-37V	1330	1752	2060	1081	1576	1506	1991	2321	1208	1760	1645	2222	2614	1334	1997	1864	2499	2915	1481	2244	2102	2819	3304	1692	2549	2391	3102	3665	1890	2886	2704	3538	3687	2246	3251	3026	3636	4069	2448	3433	3411	3942	4323	2789	3662	3168	2543	3515	3074						
MXH-4273C-45V	1418	1869	2197	1153	1680	1606	2123	2475	1288	1877	1754	2370	2788	1422	2129	2087	2665	3109	1579	2393	2241	3006	3523	1904	2718	2550	3307	3906	2016	3078	2883	3773	3932	3236	3878	4339	2611	3661	3638	4203	4610	2975	3905	3378	2712	3748	3279								
MXH-4273C-55V	1518	2001	2352	1234	1799	1720	2273	2650	1379	2010	1878	2537	2985	1523	2280	2128	2853	3328	1690	2563	2400	3219	3772	1932	2910	2730	3541	4185	2158	3295	3087	4039	4210	2564	3712	3455	4152	4646	2795	3920	3895	4500	49												